


SABS



BEKA VAPOURLINE

Industrial LED luminaire





Key advantages

- · Designed and manufactured in South Africa
- LED alternative for fixtures equipped with fluorescent T5/T8 lamps
- Cuts energy costs by up to 50%
- Uniquely designed optical compartment to meet LED lifetime expectation
- · Easy installation and maintenance free
- · Suspension mounting
- High colour rendering index: CRI ≥80
- High luminaire efficacy (up to 159lm/W)
- · Uniform luminance with low glare due to prismatic diffuser design
- Long service life: over 60,000 hours (L70B10)
- No ingress of dust and moisture into the LED and controller compartment IP 65
- · Vandal-resistant IK 08
- · Robust corrosion-resistant housing and diffuser
- · Stainless steel latches
- · Supplied with complete surface mounting kit
- Optional movement sensor for additional energy savings
- · Available in battery back-up and Zone 2 and 21/22 versions
- Surge protection 10kV/10kA
- · Circular economy 3-star rating
- 3-year warranty (Terms and conditions apply)

Characteristics

GENERAL INFORMATION

Testing standard	SANS 60598	
Housing	High-impact polycarbonate	
Protector	High-impact polycarbonate	
Housing finish	Telegrey 1 (RAL 7045)	Signal Red (RAL 3001) (optional)
Standard mounting	With two metal clips on the back of the body for surface/wall mounting. Pendant with an additional triangle accessory provided.	
Nominal voltage	230V ±10% 50Hz	
Surge protection	10kV / 10kA	20kV / 20kA (optional)
Operating temperature range (Ta)	Standard version: -35°C up to +40°C	Battery back-up version: -35°C up to +35°C
BEKA VAPOURLINE		
Wattage (up to)	49W	
Nominal flux (up to)	8,170lm	
Luminaire output flux (up to)	7,353lm	
Luminaire efficacy (up to)	159lm/W	
Colour temperature	4000K (Neutral white 840); 5700K (Cool white 857); 3000K (Warm white 830) CRI ≥80	



Lifetime of the LEDs @Tq 25°C

Lifetime of the Driver @Tq 25°C



60,000h - L70B10

50,000h ≤10% failure rate



















www.beka-schreder.co.za

Designed and manufactured by BEKA Schréder (Pty) Ltd

