

ELLEGA

Versatility for various types of urban landscapes



For project details



LOCALLY
manufactured



IP 66

IK 07



10kV



Key advantages

- Designed and manufactured in South Africa
- Designed for various types of urban landscapes
- LensoFlex®2 photometric engine with photometry adapted to various applications
- White light available in neutral or warm white
- Maximised savings in energy and maintenance costs
- Electronic temperature monitoring prevents overheating of LEDs and power supply (ThermiX®)
- Extruded aluminium
- Surge protection 10kV/10kA
- 5-year warranty (Terms and conditions apply)

Characteristics

GENERAL INFORMATION

Testing standard	SANS 60598, SANS 62262
Pole	Extruded aluminium
Light engine	Die-cast aluminium
Protector	High-impact clear glass
Housing finish	AKZO grey 900, Textured finish
Nominal voltage	198-264V – 50Hz
Surge protection	10kV / 10kA
Operating temperature range (Ta)	-20°C up to +35°C

ELLEGA	SINGLE BRACKET	DOUBLE BRACKET
Wattage (up to)	37W	74W
Nominal flux (up to)	5,157lm	2*5,157lm
Luminaire output flux (up to)	4,280lm	2*4280m
Luminaire efficacy (up to)	116lm/W	116lm/W
Colour temperature	4000K (Neutral white 740); 3000K (Warm white 730) CRI ≥70	
Lifetime of the LEDs @Tq 25°C	100,000h – L70B10	
Lifetime of the Driver @Tq 25°C	100,000h ≤10% failure rate	




URBAN &
RESIDENTIAL
STREET



BIKE &
PEDESTRIAN
PATH



SQUARES &
PEDESTRIAN
AREA



CAR PARK



SHOPPING
CENTRE



SECURITY
LIGHTING



SPORT AREA



RAILWAY
STATION &
METRO

BEKA Schröder

Experts in lightability™

SABS
ISO 9001



www.beka-schreder.co.za

Designed and manufactured by BEKA Schröder (Pty) Ltd



2026-01

Copyright © BEKA Schröder (Pty) Ltd - Twenty One Industrial Estate - 10 Purlin Street North - Olifantsfontein (South Africa) • The information, descriptions and illustrations herein are of only an indicative nature. Due to advanced developments, we may be required to alter the characteristics of our products without notice. As these may present different characteristics according to the requirements of individual countries, we invite you to consult us.